

The background of the entire page is a blurred industrial scene, likely a manufacturing or assembly line, featuring various mechanical components and metal parts. A semi-transparent blue rectangular overlay covers the central portion of the image, serving as a backdrop for the text.

SYNTEC SERVO PRODUCTS

TRUSTED TECHNICAL SERVICE

About Syntec PROFILE


TRUSTED TECHNICAL SERVICE

SYNTEC has become one of the most influential and development potential controller brand in the Asia-Pacific market. With smart manufacturing system among its core strengths, SYNTEC is well experienced in lean and diverse manufacturing, the digital and physical integration, and on-site services. With the support of multiple distributions, we are the ideal one-stop shop for complete solutions and we hope all the small and medium manufacturers can join us in stepping into Industry 4.0.

Universal Drive



SYNTEC Drives feature powerful product flexibility that supports motors and encoders of major brands, providing applications in multiple realms.



Product Introduction

Multi-axis Servo Drive



Multi-axis Servo Drive (XL)

- Applicable to lathe, milling machine, and similar realms of industrial control.
- Up to 18.5kW for spindle drive, 3kW for axial drive.
- Up to 3+1 axis servo control.
- Supports versatile serial encoders.
- Supports M3 controller communication interface.
- High speed high precision controller, supports both scalar control and field oriented control.
- Extensive integration of axis control functions and synchronous control of multiple axes.
- Simple wiring. Space saving.

Multi-axis Servo Drive (M)

- Applicable to engraving and milling machines, woodworking and similar realms of industrial control.
- Drive and control in one, more Integration, improve reliabilities.
- Offers IO card options of versatile specifications for optimal scalability.
- Supports versatile serial encoders.
- Supports M3 controller communication interface.
- High speed high precision controller, supports both scalar control and field oriented control.
- Extensive integration of axis control functions and synchronous control of multiple axes.
- Simple wiring. Space saving.



Mini Multi-axis Servo Drive (XS)



- Applicable to professional equipment, automation and similar realms of industrial control.
- Small volume, numerous feature, combine convenience with practicality perfectly.
- Supports versatile serial encoders.
- Supports M3 controller communication interface.
- High speed high precision controller, supports both scalar control and field oriented control.
- Extensive integration of axis control functions and synchronous control of multiple axes.
- Simple wiring. Space saving.



Single-axis Servo Drive and Motor


SPD/SVD Series




- Up to 30kW spindle drive.
- Up to 3kW for axial drive.
- Supports M2/M3 controller communication interface
- High speed high precision controller, supports both scalar control and field oriented control.
- Capable of high speed positioning, precision processing and resonance elimination functions.
- Supports versatile serial encoders.

SYNTEC Spindle System

- Versatile spindle motor for satisfactory application such as lathe, drilling, machining center, engraving and milling machines.
- Both vertical and horizontal installation for high compatibility.
- Maximum speed up to 24000rpm, maximum torque up to 116Nm, Satisfy the requirement of different industries.
- Supports KTY84 temperature detection. Optional 220V and 380V voltage inputs.
- In combination with SYNTEC serial HD encoder for more control stability and better machining.



SYNTEC Servo Solution



- Support 16 million resolution encoder, high speed, high precision positioning.
- IP67 protection class, significantly reduces motor failure rate.
- Maximum speed up to 6000rpm, maximum torque up to 120Nm, Satisfy the requirement of different industries.
- Significantly reduces processing time, providing exceptional machining performances.
- Applicable to CNC machine, automation and versatile machining applications.

Accessories

SYNTEC Encoder

Magnetic encoder reading head and magnetic ring



- Serial communication type encoder resolution up to 1,330,000.
- Features high precision, high definition and robust environmental tolerance.
- No-touch sensing technology; compact design, high compatibility.
- Various magnetic ring sizes for versatile applications.
- Suitable for machine spindle, lathe dual feedback and built-in motor applications.

Gear encoder reading head

- Be compatible with gear ring of client, simple replacement and easy installation.
- No-touch sensing technology; ensure system no wear and tear, outstanding product reliability.
- Small size reading head is suitable for small space installation.
- High protection level(IP67) design, applicable to all kinds of harsh environments.

Option Module

FC temperature sensor module

- Supports commonly used KTY84 temperature sensors.
- Features adjustable temperature protection limits for both safety and convenience.
- Real time surveillance over machine temperature, ensures safety of motor and control electronics.

AD/DA Module

- Multiple AD/DA ports for satisfying integration needs of various industries.
- SYNTEC AD/DA modules provide users with versatile applications.



Encoder Module

- Supports third party encoders via simple installation.
- SYNTEC Encoder expansion modules provide serial and non-serial encoders of other makes.
- Applicable to dual feedback or external measurement, satisfying requirements of users in all layers.




Servo Tuning Software

The controller supports servo tuning




User-friendly Servo Tuning


One-touch Servo Tuning




Simplified servo tuning procedure; automatic servo tuning for optimal servo parameters by pressing a single key.



Installation test




Advanced inertia



Vibration Suppression




Automatic gain tuning



List of parameters

Versatile Application and Analysis Functions


Provides data analysis functions for fast troubleshooting of processing problems.




Oscilloscope



Quad-Peak compensation



2D machining analysis



NC analysis

SYNTEC Sizing Software


Recommend suitable SYNTEC motor and drive according to user demand and application. Automatically update product information after network connection, providing the user with the latest information.



Motion planning



Mechanism setting



Comparison with similar products



Provide optimal motors and drives.

- Easy tuning
- Perfect reliability.

Drive Selection		
Single-Axis Drive		Multi-Axes Drive
Model No.	SupportAxes	Voltage(V)
SMD-33B-2575-□□	3	380
SMD-34A-2550-□□	4	380

Recommended SYNTEC packages

Syntec Motor		
Model No.	Watt(KW)	Voltage(V)
AM4-30-E12-M1	0.8	380
AM3-60-E12-F3	1	380
AM5-40-E12-F3	1.1	380
AM8-40-E12-F3	1.7	380
AM11-40-E12-F3	2.4	380

Recommended SYNTEC drives



Spindle Combination Overview

Model	Flange size		Shaft diameter mm	Rated Torque N·m	Max. Torque	Rated speed rpm	Max. speed	Encoder --	Single-axis drive --	Multi-axis drive --			
	mm	mm											
α series motor(Applicable to vertical machining center)													
M5.5-12-B□-0-00	178	28	23.3	34.7	1500	12000	SYNTEC 18bit serial HD encoder	SPD-32B1-110	SMH-25/25-75-M SMH-50/50/50-150-X				
M7.5-10-B□-0-00	198	32	34.7	47.3	1500	10000							
M7.5-12-B□-0-00	198	32	34.7	58.9	1500	12000							
M11-08-B□-0-00	198	48	47.3	69.4	1500	8000							
M11-12-B□-0-00	198	32	47.8	71.7	1500	12000		SPD-32B1-185	SMH-35/35-100-M SMH-50/50/50-150-XL				
M15-07-B□-0-00	260	48	69.4	94.6	1500	7000							
M18-07-B□-0-00	260	48	94.6	116.7	1500	7000							
β series motor (Applicable to lathing)													
M5.5-08-C□-0-01	178	28	17.51	26.03	2000	8000	SYNTEC 18bit serial HD encoder	SPD-32B2-110	SMH-25/25-75-M SMH-35/35/35-100-XL				
M7.5-08-C□-0-01	178	28	26.3	35.5	2000	8000							
M9-06-C4-0-01	260	38	42	56.8	1500	6000							
M12-06-C4-0-01	260	42	56	75.7	1500	6000							
β series motor (for mainland China only)(Applicable to lathing)													
M5.5-08-A4-0-10	180	28	17.7	26.5	2000	8000	SYNTEC 18bit serial HD encoder	SPD-32B1-050	SMH-25/25/35-75-XL				
M7.5-08-A4-0-10	180	28	26.3	39.5	2000	8000		SPD-32B1-110	SMH-25/25-75-M SMH-35/35/35-100-XL				
M11-08-A4-0-10	210	32	35.8	53.7	2000	8000		SPD-32B1-185	SMH-35/35-100-M SMH-50/50/50-150-XL				
M15-08-A4-0-10	210	48	52.5	77.8	2000	8000							
C series motor(Applicable to Small vertical machining center)													
M7.5-12-B□-0-01	178	28	17.51	23.8	3000	12000	SYNTEC 18bit serial HD encoder	SPD-32B1-110	SMH-25/25-75-M SMH-35/35/35-100-XL				
M7.5-20-B4-0-01	178	28	17.51	23.8	3000	20000							
M11-08-B□-0-01	220	32	35.5	52.06	2000	8000		SPD-32B1-185	SMH-35/35-100-M SMH-50/50/50-150-XL				
M12-12-B4-0-01	178	28	26	38	3000	12000							
M12-20-B4-0-01	178	28	26	38	3000	20000							
M15-08-B4-0-01	220	48	52.06	71	2000	8000							
M15-12-B4-0-01	178	28	34.7	47.3	3000	12000							
H series motor(Applicable to Drilling)													
L5.5-12-B□-0-00	178	28	11.67	17.35	3000	12000	SYNTEC 18bit serial HD encoder	SPD-32B1-050	SMH-25/25/35-75-XL				
L5.5-18-B□-0-00	178	28	11.67	17.35	3000	18000							
L5.5-24-B□-0-00	150	24	11.6	17.35	3000	24000							
SL5.5-24-B□-0-00	150	24	7	10.5	5000	24000		SPD-32B1-110	SMH-25/25-75-M SMH-35/35/35-100-X				
L7.5-15-B□-0-00	198	32	17.35	23.66	3000	15000							
M11-24-B4-0-01	178	24	14	21	5000	24000							

Spindle Designation

S08 – SP – M 5.5 – 12 – A 4 – 0 – 00

1st 2nd 3rd 4th 5th 6th 7th 8th 9th

	1st	2nd	3rd	4th	5th	6th	7th	8th	9th
Item	S08	SP	M	5.5	12	A	4	0	00
Definition	Relevant Servo Product	SYNTEC SP Series Induction Spindle	SL: Super Low Inertia L: Low Inertia M: Medium-High /Medium-Low Inertia	Max. Power(kW) 5.5→5.5kW	Max. RPM (*1000rpm) 12→12000rpm	Mounting A: Foot mount B: B5 Flange Mount C: Vertical and Horizontal	Input Voltage 2: 200V 4: 400V	0: Optic Axis 2: Central Outlet	Ver.

Servo Combination Overview

380V-Class

Model	Flange size	Shaft diameter	Rated Torque	Max. Torque	Rated speed	Max. speed	Encoder	Optional accessories	Single-axis drive	Multi-axis servo drive
	mm	mm							N-m	rpm
AM06-50-E12-□-Z3	60	14	0.64	1.92	3000	5000	Nikon24bit absolute encoder	B:Brake K: Key Way BK: Brake + Key Way	SVD-32B1-020	SMH-25/25/35-75-XL
AM3-50-E12-□-Z3	80	19	3.5	10.5	3000	5000			SPD-32B1-020	SMH-35/35-100-M SMH-35/35/35-100-XL
AM3-60-E12-□-F3	90	19	3.2	10	3000	6000			SVD-32B1-020	SMH-25/25-75-M SMH-25/25/35-75-XL
AM5-40-E12-□-F3	130	19	5.39	14.9	2000	4000			SVD-32B1-020	SMH-35/35-100-M SMH-35/35/35-100-XL
AM8-40-E12-□-F3	130	22	8.34	30.8	2000	4000			SPD-32B1-050	SMH-50/50/50-150-XL
AM11-40-E12-□-F3	130	24	11.5	34	2000	4000			SPD-32B1-110	--
AM15-40-E12-□-F3	130	24	15	45	2000	4000				
AM18-40-E12-□-F4	180	35	18.6	48.5	2000	4000				
AM28-40-E12-□-F4	180	35	28.4	76	2000	3000		B:Brake K: Key Way BK: Brake + Key Way		
for mainland China only										
AM35-20-E12-□-F4	180	42	35	91.4	1500	2000	Nikon24bit absolute encoder	B:Brake	SPD-32B1-110	--
AM48-20-E12-□-F4	180	42	48	120.9	1500	2000			SPD-32B1-110	--
AM19-40-E12-□-M1	180	35	19	57	2000	4000				
AM27-30-E12-□-M1	180	35	27	81	1500	3000				
AM35-20-E12-□-M1	180	42	35	70	1500	2000				
AM48-20-E12-□-M1	180	42	48	70	1500	2000		SPD-32B1-185	--	

220V-Class

Model	Flange size mm	Shaft diameter mm	Rated Torque N-m	Max. Torque	Rated Speed rpm	Max. Speed	Encoder	Optional accessories	Single-axis drive	Multi-axis servo drive
AM4-30-E12-□-M1	110	19	4	12	2000	3000	Nikon24bit absolute encoder	B: Brake	SVD-22B1-030	--
AM6-30-E12-□-M1	110	19	6	18	2000	3000		B: Brake		--
AM03-50-E12-□-Z3	40	8	0.32	0.96	3000	5000		B: Brake K: Key Way BK: Brake + Key Way	SVD-22B1-010	SMD-30/30/30/30-M SCD-30/30/30/30-M SMD-30/30/30/30-XS
AM06-50-E12-□-Z3	60	14	0.64	1.92	3000	5000				--
AM1-50-E12-□-Z3	60	14	1.9	5.7	3000	5000				
AM3-50-E12-□-Z3	80	19	3.5	10.5	3000	5000				
AM03-50-E22-□-H1	40	8	0.32	1.12	3000	6000	Hcfa17bit absolute encoder	K: Key Way BK: Brake + Key Way	SVD-22B1-010	SMD-30/30/30/30-M SCD-30/30/30/30-M SMD-30/30/30/30-XS
AM06-50-E22-□-H1	60	14	0.64	1.91	3000	5000				
AM1-50-E22-□-H1	60	14	1.27	3.82	3000	5000				
AM2-50-E22-□-H1	80	19	2.39	7.1	3000	4500				
AM5-50-E22-□-H1	130	19	5.39	16.2	1500	3000			SVD-22B1-030	--
AM8-50-E22-□-H1	130	22	8.28	24.84	1500	3000				
AM11-50-E22-□-H1	130	24	11.5	34.5	1500	3000			SVD-22B1-030	--

Note: Accessory suitable for this motor model

Servo Motor Designation

S08 – AM – 5 – 40 – E 12 – B - F1

1st 2nd 3rd 4th 5th 6th 7th 8th

	1st	2nd	3rd	4th	5th	6th	7th	9th
Item	S08	AM	5	40	E	12	B	F1
Definition	Relevant Servo Product	AM: Axial Motor	Rated torque Prefix 0 if rated torque <1Nm 5: for rated torque = 5Nm 06: for rated torque = 0.6Nm	Max. RPM (*100rpm) 40*100=4000rpm	Encoder Type E: Encoder	Encoder 12: Nikon	Options B: Brake S: Oil Seal K: Key Way BS: Brake + Oil Seal BK: Brake + Key Way SK: Oil Seal + Key Way BSK: Brake + Oil Seal + Key Way	Ver.

This image shows a single sheet of white paper with horizontal ruling lines. The lines are evenly spaced and run across the width of the page. There are no margins, text, or other markings on the paper.

* We reserve the right to change the specification of the product shown in this catalogue. * 10



Global Locations

TAIWAN

Hsinchu(Headquarter)

SYNTEC Technology Co., Ltd
ADD : No.25, Yanfa 2nd Rd., East Dist.,
Hsinchu City 300, Taiwan (R.O.C.)
TEL : +886-3-6663553
FAX : +886-3-6663505
E-mail: sales@syntecclub.com.tw

Taichung(distributor)

SUN-CNC Co., Ltd
ADD: No. 90, 22 Alley, 428 Alley, Yi Section,
Fengyuan Boulevard, Fengyuan District,
Taichung City
TEL: +886-4-25337731
TAX: +886-4-25349224

TANLU-CNC Co., Ltd
ADD: No. 42, Jingming Road, Taichung City
TEL: +886-4-23102626
TAX: +886-4-23102636

Tainan(distributor)

HUNG LUN Technology Co., Ltd
ADD: No. 10, Luchuan Road, Xinying District,
Tainan City
TEL: +886-6-2796707
TAX: +886-6-2796705

AROUND THE WORLD

Malaysia

MYSYNTEC TECHNOLOGY SDN BHD
ADD : 2, Jalan Astana 1D, Bandar Bukit Raja, 41050 Klang,
Selangor, Malaysia.
TEL : +6017-6743282
E-mail : otis.siah@syntecclub.com.tw

Thailand

SYNTEC Thailand Office
ADD : 78/38 Kheha Romklao Rd.,
Khlong Song Ton Nun, Lat Krabang, Bangkok, 10520
TEL : +662-006-5738
E-mail : thanawat@syntecclub.com.tw

Vietnam

VNSYNTEC TECHNOLOGY CO., LTD
ADD : 3F, No. 36, A4 Street, Ward 12, Tan Binh District,
Ho Chi Minh City, VietNam
TEL : +84 938332829
TAX : +84 282 253 5556
E-mail : andyngo@syntecclub.com.tw

Turkey

SYNTEC Turkey Office
ADD : Küçükbakkalkoy Mah. Vedat Günyol Cd.
Defne Sok. No:1 D:1502 Flora Residence,
34750 Atasehir/Istanbul, Türkiye
TEL : +90-216-2662475
E-mail : daisy.cheng@syntecclub.com.tw

USA (South California)

SYNTEC USA Office
ADD : 766 Pinefalls Ave.Walnut,CA 91789
TEL : +1 909-551-0187
E-mail : info@syntecamerica.com

Indonesia(distributor)

PT. OTOMASI BERSAMA INDONESIA
ADD : Ruko Arcadia Mataram Blok B, No 15, Kelurahan
Cibatu, Kecamatan Cikarang selatan, 17530, Indonesia
TEL : +6221 2210 4832/ +6281285886246
E-mail : yulius@otomasi.co

CHINA

Jiangsu(Headquarter)

Suzhou SYNTEC of CNC Equipment Co., Ltd.(SZST)
ADD : Building B, No.9 Chunhui Road,Suzou Industrial
Park,China
TEL : 0512-69008860
FAX : 0512-65246029
E-mail: service@syntecclub.com.cn

Suzhou Huaxin of CNC Equipment Co., Ltd.(SZHX)
ADD : Building C, No.9 Chunhui Road,Suzou Industrial
Park,China
TEL : 0512-69008890
FAX : 0512-69560818

Nantong SYNTEC of CNC Equipment Co., Ltd. (NTST)
ADD : Room 1301, Building 1, Shangye Center,
Jincheng, No. 108, Dajie, Nantong City
TEL : 0513-89077025
FAX : 0513-89072057

Nanjing SYNTEC of CNC Equipment Co., Ltd.(NJST)
ADD : Room 104, Unit 2, Building 6, Jiulonghu Villa,
No. 188, Qingshuiting West Road, Jiangning District,
Nanjing City
TEL : 025-52717710
FAX : 025-52717702

Anhui

Hefei SYNTEC of CNC Equipment Co., Ltd. (HFST)
ADD : Hefei Binhu Baohe District Century City Fu Hui
Yuan T4-2202
TEL : 0551-63814183
FAX : 0551-63814183

Shaanxi

Xi'an SYNTEC of CNC Equipment Co., Ltd. (XAST)
ADD : Room 11328, Unit 1, Building 4, Duhui, I,
Yicuiyuan, No. 10, Tangyan South Road, Gaoxin
District, Xian City
TEL : 029-88287423
FAX : 029-88287423



Guangdong

Guangdong SYNTEC of CNC Equipment Co., Ltd.
ADD : 201301Chang, Building A, No. 10, Jiangsan Road,
Zhujiang Street, Nansha District, Guangzhou City
TEL : 020-39089367
FAX : 020-39089791

Dongguan SYNTEC of CNC Equipment Co., Ltd.(DGST)
ADD : Zone B, 3F, Building1 No.522,Chain-An East Rd.,
Changan Townmap
TEL : 0769-81660318
FAX : 0769-81660328

Guangzhou SYNTEC of CNC Equipment Co., Ltd.(GZST)
ADD : 2Ti404, Zhiqi, No. 8, LuoJia Village Section, Fuyi
Road, Dalong Street, Panyu District, Guangzhou City
TEL : 020-34583040
FAX : 020-34583220

Changping
The Suzhou new generation of CNC Equipment Co., Ltd.
Chongqing Branch
ADD : Floor 5, Huilong Building, No. 8, Qianyi Road,
Banshi Village, Changping Town, Dongwan City
TEL : 0769-82826802
FAX : 0769-82826820

Shenzhen SYNTEC of CNC Equipment Co., Ltd. (SCST)
ADD : 5F, Building C, Sunshine Technology Park,
Gin-Long 2nd Rd., Baolong Industrial Zone, Shenzhen
Longgang District
TEL : 0755-84320380
FAX : 0755-84559490

Jiangmen SYNTEC of CNC Equipment Co., Ltd.(JMST)
ADD : Room 02, Floor 7, Huoju Building, Gaoxin
District, No. 288, Jinou Road, Jianghai District,
Jiangmen City, Guangdong Province
TEL : 0750-3762143
FAX : 0750-3771824

Fujian

Xiamen SYNTEC of CNC Equipment Co., Ltd.(XMST)
ADD : No. 100,B Chuang Chang Fang 3F East,Jin Fu
Road, Tong An District,Xiamen City, Fujian Province,
China
TEL : +86-592-7191901
FAX : +86-592-7220536

Zhejiang

Hangzhou SYNTEC of CNC Equipment Co., Ltd.(HZST)
ADD : Room1202 Unit2 Buiding1, Edifice DiKai ,
Jincheng Road, Beigan Street,Xiaoshan District
,Hangzhou City,Zhejiang Province, China
TEL : 0571-82751187
FAX : 0571-82751186

Ningbo SYNTEC of CNC Equipment Co., Ltd.(NBST)
ADD : Room 1207, No.262,416 Alley, Zhaohui
Road,Jiangdong District, Ningbo City
TEL : 0574-87750305
FAX : 0574-87750306

Wenling SYNTEC of CNC Equipment Co., Ltd. (WLST)
ADD : Room 1206, Department A, Zhenxing
Plaza,Taiping Subdistrict, Wenling Citymap
TEL : 0576- 86138372
FAX : 0576-86119106

Luoyang

Luoyang SYNTEC of CNC Equipment Co., Ltd. (LYST)
ADD : 706, Runsheng Building, Junction Of Heluo Road
And Sanshan Road, Gaoxinjishu Development Area,
Luoyang City
TEL : 0379-65110352
FAX : 0379-65110352

Chongqing

Chongqing SYNTEC of CNC Equipment Co., Ltd. (CQST)
ADD : 11-6, Building 2, No. 62, Taishan Boulevard East
Section, Bu New District, Chongqing City
TEL : 023-67913296
FAX : 023-67634382

Tianjin

Tianjin SYNTEC of CNC Equipment Co., Ltd. (TJST)
ADD : No. 37, A District, Huayuan, Qiaoruifeng, No. 7,
Waihuan West Road, Xiqing District, Tianjin City
TEL : 022-23739192

Shandong

Jinan SYNTEC of CNC Equipment Co., Ltd.(JNST)
ADD : Room 101, Unit 3, Building 9, Kangqiao, Luneng,
No. 28, Sankongqiao Street, Tianqiao District, Jinan
TEL : 0531-85907208
FAX : 0531-85905708

Hubei

Wuhan SYNTEC of CNC Equipment Co., Ltd. (WHST)
ADD : Room 2003-2006, A Guanggogooji,
No.456,Luoyu East Road, Hongshan District , Wuhan,
China
TEL : 027-87638876
FAX : 027-87204137

Liaoning

Shenyang SYNTEC of CNC Equipment Co., Ltd. (SYST)
ADD : C61-2-1, Diyicheng, No. 1, 1Jia1, Qigong
Street, Tiexi District, Shenyang City, Liaoning
Province
TEL : 18698806526



新代科技股份有限公司
SYNTEC Technology Co.,Ltd.

台灣新竹市東區研發二路25號

☎ 886-3-6663553
☎ 886-3-6663505
✉ sales@syntecclub.com.tw

新代科技(蘇州)有限公司
Suzhou SYNTEC Equipment Co.,Ltd.

江蘇省蘇州工業園區春輝路9號

☎ 86-512-69008860
☎ 86-512-65246029
✉ service@syntecclub.com.cn



<http://www.syntecclub.com.tw>